
43" Superslim Freestanding Double-Sided Digital Posters



Dual-sided advertising displays with incredibly slim depth and striking brushed aluminium frame

Incredibly Thin Dual-Sided Display

The overall depth of this display is just 30mm; thinner than most single-sided displays. Not only does the exceptionally slim design attract more attention, but it also maximises manoeuvrability.



Stylish Elegant Frame

With a minimalistic framework design and high-end brushed Aluminium finish, this unique display exudes luxury and is sure to grab attention in any location.





Lightweight Design



Integrated Android Media Player



Premium Brushed Aluminium Finish



Ultra-Resistant to Blackening Defect



IPS Panel



High Brightness Display (700cd/m²)



Easy USB Updates



Network Upgrade Available



24/7 Commercial Grade

Display Different Content Each Side

The special Android media player can output two separate signals simultaneously. This means that with the networked version of this product, you can display different content on each screen at the same time.



Integrated Android Media Player

The built in Android media player inside the screen allows you to upgrade to a network version without needing any additional hardware. You can also install third party Android apps if required.





High Brightness Displays (700cd/m²)

Both sides feature commercial grade high brightness IPS panels for accurately displaying image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature in portrait orientation.

Outward Facing 700 cd/m²





Inward Facing 700 cd/m²

Easy USB Updates

Plug and Play is the most straightforward way to upload content to the screen. Simply load images and videos onto a USB stick, insert into the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.



Lightweight Design

Thanks to the segmented tubular design, this freestanding digital poster can be easily moved into position, making it fully portable.



24/7 Commercial Grade

This is a true commercial grade solution. Built using high quality LCD panels and components, this solution is designed to be in constant use in public spaces.



IPS Panel

Commercial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature and have a wide viewing angle.








Optional Network Upgrade

For a small charge you can upgrade your screen to be networked, allowing you to connect your screen via Wi-Fi, LAN or 4G, then remotely update it over the internet.









LIGHTWEIGHT DESIGN



INTEGRATED CABLE MANAGEMENT



INTEGRATED SPEAKERS







PLUG AND PLAY





WIDE VIEWING ANGLE
















Specification Table

		43 Inch
	Resolution	1920x1080
Panel	Display Areas (mm)	943.2x531.4
	Aspect Ratio	16:9
	Side A Brightness (cd/m²)	700
	Side B Brightness (cd/m²)	700
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	1200:1
Audio	Speaker Type	2W, 8Ω (x2)
V Inputs	Video	HDMI, VGA
v inputs	Audio	Audio Socket (3.5mm)
Power	Power Consumption (W)	150
	Input Voltage	AC100~230V (50Hz~60Hz)
Mechanical	Unit Size (WxHxD mm)	1840x694.6x30
	Package Size (WxHxD mm)	TBC
	Footprint (WxH mm)	694.6x640
	Net Weight (kg)	23.45
	Gross Weight (kg)	30.75
Environmental	Operating Temperature	0 °C to 40 °C
	Storage Temperature	-20°C to 60°C
	Operating Humidity	0% to 90%
	Storage Humidity	0% to 95%
Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG
	Media Resolution	1920x1080/1080x1920
	CPU	Quad-Core ARM Cortex A17, 1.6GHz
	GPU	Quad-Core ARM Mali-T764
	RAM	DDR3 2GB
	Internal Storage	8GB eMMC
	USB	1 x USB (OTG/HOST), 4 x USB (HOST)
	LAN	100M/1000M Ethernet (Network Version Only)
	Wi-Fi	802.11b/g/n/ac (Network Version Only)
	Bluetooth	Bluetooth 4.0
	OS	Android 7.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Accessories	Included	Scheduling Software, Remote Control, User Manual
	Optional	Network Upgrade
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime







Why Choose Our Commercial Display Solutions?



From the moment you receive your product, throughout the duration of your warranty and even after your warranty has expired we are here to support you. If you require any assistance setting up or using your product, or have any problems at all, we can provide free technical support via telephone and email.



On-site Support and Maintenance

If needed, we can provide an installation service for any of our products. We can also set up service-level agreements for larger projects that require maintenance contracts.



Extended Warranty*

All of our commercial display products come with a 3 year commercial warranty as standard but if you want to extend this you can upgrade this to cover a 5 year period at point of purchase.



Training

As well as providing free remote CMS training sessions and webinars we can also visit you to deliver bespoke training for our software and hardware*.



Advanced Replacements[†] Should your display suffer from any kind of hardware failure during the warranty period we will send you an advanced replacement and arrange for your old display to be collected, free of charge. This ensures no downtime where you are without a screen.



Custom Product
Testing &
Configuration

If you need us to test third party software or a website, or configure your screen in a particular way before it is dispatched (e.g. in a particular orientation or network mode), we can do so to make your life easier.



3D Rendering

Want to know how a particular screen will look once installed? Send us a photo of the location and we will create a 3D rendering of any screen in situ to help you to visualise how amazing it will look.



Logistics Support

We hold more stock in our UK warehouse than any other manufacturer so we can help you meet tight deadlines. For last minute orders we can also offer special express or morning delivery options*. We also carry out UK based quality control checks on every display before it leaves our warehouse.



Project Support

If you need to loan a sample unit to test we'd be more than happy to arrange this. We can also provide a rental service for temporary projects*.



Customisation*

Your display can be customised to suit your requirements by adding your logo or printed graphics or even tailoring the colour of a display. We can also carry out hardware modifications to existing products or manufacture bespoke solutions for special projects.



As well as being able to provide accessories and add-ons, such as extra remote controls, NUC PCs and video wall controllers, we can also supply custom made flight cases which are great if a display needs to be moved safely from place to place.


55" Superslim Freestanding Double-Sided Digital Posters



Dual-sided advertising displays with incredibly slim depth and striking brushed aluminium frame

Incredibly Thin Dual-Sided Display

The overall depth of this display is just 30mm; thinner than most single-sided displays. Not only does the exceptionally slim design attract more attention, but it also maximises manoeuvrability.



Stylish Elegant Frame

With a minimalistic framework design and high-end brushed Aluminium finish, this unique display exudes luxury and is sure to grab attention in any location.





Lightweight Design



Integrated Android Media Player



Premium Brushed Aluminium Finish



Ultra-Resistant to Blackening Defect



IPS Panel



High Brightness Display (700cd/m²)



Easy USB Updates



Network Upgrade Available



24/7 Commercial Grade

Display Different Content Each Side

The special Android media player can output two separate signals simultaneously. This means that with the networked version of this product, you can display different content on each screen at the same time.



Integrated Android Media Player

The built in Android media player inside the screen allows you to upgrade to a network version without needing any additional hardware. You can also install third party Android apps if required.



High Brightness Displays (700cd/m²)

Both sides feature commercial grade high brightness IPS panels for accurately displaying image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature in portrait orientation.

Outward Facing 700 cd/m²





Inward Facing 700 cd/m²

Easy USB Updates

Plug and Play is the most straightforward way to upload content to the screen. Simply load images and videos onto a USB stick, insert into the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.



Lightweight Design

Thanks to the segmented tubular design, this freestanding digital poster can be easily moved into position, making it fully portable.



24/7 Commercial Grade

This is a true commercial grade solution. Built using high quality LCD panels and components, this solution is designed to be in constant use in public spaces.



IPS Panel

Commercial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature and have a wide viewing angle.







Optional Network Upgrade

For a small charge you can upgrade your screen to be networked, allowing you to connect your screen via Wi-Fi, LAN or 4G, then remotely update it over the internet.









LIGHTWEIGHT DESIGN



INTEGRATED CABLE MANAGEMENT



INTEGRATED SPEAKERS







PLUG AND PLAY





WIDE VIEWING ANGLE
















Specification Table

		55 Inch
	Resolution	1920x1080
Panel	Display Areas (mm)	1209.6x680.4
	Aspect Ratio	16:9
	Side A Brightness (cd/m²)	700
	Side B Brightness (cd/m²)	700
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	1200:1
Audio	Speaker Type	2W, 8Ω (x2)
\\/ l==t=	Video	HDMI, VGA
AV Inputs	Audio	Audio Socket (3.5mm)
Power	Power Consumption (W)	220
	Input Voltage	AC100~230V (50Hz~60Hz)
	Unit Size (WxHxD mm)	1840x878.2x30
	Package Size (WxHxD mm)	TBC
Mechanical	Footprint (WxH mm)	878.2x640
	Net Weight (kg)	33.05
	Gross Weight (kg)	42.95
	Operating Temperature	0 °C to 40 °C
	Storage Temperature	-20°C to 60°C
Invironmental	Operating Humidity	0% to 90%
	Storage Humidity	0% to 95%
	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG
Computer	Media Resolution	1920x1080/1080x1920
	CPU	Quad-Core ARM Cortex A17, 1.6GHz
	GPU	Quad-Core ARM Mali-T764
	RAM	DDR3 2GB
	Internal Storage	8GB eMMC
	USB	1 x USB (OTG/HOST), 4 x USB (HOST)
	LAN	100M/1000M Ethernet (Network Version Only)
	Wi-Fi	802.11b/g/n/ac (Network Version Only)
	Bluetooth	Bluetooth 4.0
	OS	Android 7.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Accessories	Included	Scheduling Software, Remote Control, User Manual
	Optional	Network Upgrade
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime







Why Choose Our Commercial Display Solutions?



From the moment you receive your product, throughout the duration of your warranty and even after your warranty has expired we are here to support you. If you require any assistance setting up or using your product, or have any problems at all, we can provide free technical support via telephone and email.



On-site Support and Maintenance

If needed, we can provide an installation service for any of our products. We can also set up service-level agreements for larger projects that require maintenance contracts.



Extended Warranty*

All of our commercial display products come with a 3 year commercial warranty as standard but if you want to extend this you can upgrade this to cover a 5 year period at point of purchase.



Training

As well as providing free remote CMS training sessions and webinars we can also visit you to deliver bespoke training for our software and hardware*.



Advanced Replacements[†] Should your display suffer from any kind of hardware failure during the warranty period we will send you an advanced replacement and arrange for your old display to be collected, free of charge. This ensures no downtime where you are without a screen.



Custom Product
Testing &
Configuration

If you need us to test third party software or a website, or configure your screen in a particular way before it is dispatched (e.g. in a particular orientation or network mode), we can do so to make your life easier.



3D Rendering

Want to know how a particular screen will look once installed? Send us a photo of the location and we will create a 3D rendering of any screen in situ to help you to visualise how amazing it will look.



Logistics Support

We hold more stock in our UK warehouse than any other manufacturer so we can help you meet tight deadlines. For last minute orders we can also offer special express or morning delivery options*. We also carry out UK based quality control checks on every display before it leaves our warehouse.



Project Support

If you need to loan a sample unit to test we'd be more than happy to arrange this. We can also provide a rental service for temporary projects*.



Customisation*

Your display can be customised to suit your requirements by adding your logo or printed graphics or even tailoring the colour of a display. We can also carry out hardware modifications to existing products or manufacture bespoke solutions for special projects.



As well as being able to provide accessories and add-ons, such as extra remote controls, NUC PCs and video wall controllers, we can also supply custom made flight cases which are great if a display needs to be moved safely from place to place.